


CUSTOM MONO

10-150W

P1




MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS10M-36	10	36 (6*6)	280*280*17	0.8	18.1	0.55	22.2	0.59
AS15M-36	15	36 (4*9)	290*350*17	1.05	18.2	0.83	22.2	0.88
AS20M-36	20	36 (4*9)	410*350*25	1.5	18.2	1.10	22.2	1.29
AS30M-36	30	36 (2*18)	550*350*25	2.1	18.2	1.65	22.2	1.76
AS35M-36	35	36 (2*18)	640*350*25	2.4	18.2	1.93	22.2	2.05
AS45M-36	45	36 (4*9)	410*670*25	3.0	18.3	2.46	22.4	2.61
AS60M-36	60	36 (4*9)	535*670*30	4.0	18.4	3.28	22.4	3.48
AS75M-36	75	36 (4*9)	650*670*30	4.8	18.5	4.08	22.4	4.35
AS90M-36	90	36 (4*9)	770*670*30	5.8	18.5	4.87	22.4	5.22
AS105M-36	105	36 (4*9)	890*670*30	6.5	18.5	5.68	22.6	6.11
AS120M-36	120	36 (4*9)	1005*670*35	7.6	18.5	6.49	22.6	6.90
AS130M-36	130	36 (4*9)	1120*670*35	8.5	18.5	7.03	22.6	7.57
AS150M-36	150	36 (4*9)	1230*670*35	9.3	18.5	8.11	22.6	8.73

CUSTOM POLY

10-130W

P2



MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS10P-36	10	36 (4*9)	255*350*17	0.9	17.8	0.57	21.8	0.60
AS15P-36	15	36 (4*9)	330*350*17	1.1	18.0	0.84	21.9	0.90
AS20P-36	20	36 (4*9)	410*350*25	1.5	18.0	1.12	21.9	1.20
AS25P-36	25	36 (2*18)	550*350*25	2.0	18.0	1.39	21.9	1.50
AS30P-36	30	36 (2*18)	640*350*25	2.4	18.0	1.67	21.9	1.80
AS40P-36	40	36 (4*9)	410*670*25	3.0	18.2	2.20	22.0	2.39
AS50P-36	50	36 (4*9)	535*670*30	4.0	18.1	2.77	22.0	2.99
AS65P-36	65	36 (4*9)	650*670*30	4.8	18.2	3.58	22.1	3.87
AS80P-36	80	36 (4*9)	770*670*30	5.8	18.3	4.38	22.2	4.74
AS90P-36	90	36 (4*9)	890*670*30	6.5	18.3	4.92	22.2	5.33
AS105P-36	110	36 (4*9)	1005*670*35	7.6	18.5	5.95	22.5	6.44
AS120P-36	120	36 (4*9)	1120*670*35	8.5	18.4	6.53	22.5	7.02
AS130P-36	130	36 (4*9)	1230*670*35	9.3	18.4	7.07	22.4	7.64



MONO 36CELLS

155-180W



P3

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS165M-36	165	36 (4*9)	1480*670*35	11	18.3	9.02	22.5	9.65
AS170M-36	170	36 (4*9)	1480*670*35	11	18.5	9.19	22.8	9.75
AS175M-36	175	36 (4*9)	1480*670*35	11	18.7	9.36	23.1	9.78
AS180M-36	180	36 (4*9)	1480*670*35	11	19.0	9.48	23.5	9.82
AS190M-36	190	36 (4*9)	1480*670*35	11	19.4	9.80	23.8	10.17



POLY 36CELLS

140-160W




P4

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS150P-36	150	36 (4*9)	1480*670*35	11	18.0	8.34	22.2	9.01
AS155P-36	155	36 (4*9)	1480*670*35	11	18.2	8.52	22.4	9.17
AS160P-36	160	36 (4*9)	1480*670*35	11	18.4	8.70	22.6	9.32
AS165P-36	165	36 (4*9)	1480*670*35	11	18.7	8.83	22.8	9.46
AS170P-36	170	36 (4*9)	1480*670*35	11	19.1	8.91	23.2	9.52



MONO 48CELLS

200-250W




P5

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS230M-48	230	48 (6*8)	1324*992*35	15	24.9	9.24	30.9	9.67
AS240M-48	240	48 (6*8)	1324*992*35	15	25.5	9.42	31.5	9.77
AS245M-48	245	48 (6*8)	1324*992*35	15	25.6	9.58	31.6	9.94
AS250M-48	250	48 (6*8)	1324*992*35	15	25.8	9.69	31.8	10.01
AS255M-48	255	48 (6*8)	1324*992*35	15	26.0	9.81	31.9	10.24
AS260M-48	260	48 (6*8)	1324*992*35	15	26.2	9.93	32.1	10.25



POLY 48CELLS

190-220W




P6

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS200P-48	200	48 (6*8)	1324*992*35	15	24.2	8.27	29.7	8.86
AS210P-48	210	48 (6*8)	1324*992*35	15	24.6	8.54	30.3	9.00
AS215P-48	215	48 (6*8)	1324*992*35	15	24.9	8.64	30.6	9.07
AS220P-48	220	48 (6*8)	1324*992*35	15	25.2	8.74	30.9	9.13
AS230P-48	230	48 (6*8)	1324*992*35	15	25.5	9.02	31.2	9.39



MONO 60CELLS

260-320W




P7

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS290M-60	290	60 (6*10)	1640*992*35	18	31.1	9.33	38.6	9.76
AS300M-60	300	60 (6*10)	1640*992*35	18	31.4	9.56	39.0	9.86
AS310M-60	310	60 (6*10)	1640*992*35	18	31.8	9.75	39.4	10.02
AS315M-60	315	60 (6*10)	1640*992*35	18	32.0	9.85	39.6	10.17
AS320M-60	320	60 (6*10)	1640*992*35	18	32.2	9.94	39.8	10.18



MONO 60CELLS (G1)

320-350W




P7-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS320M-60	320	60 (6*10)	1665*1002*35	18.5	32.4	9.88	39.9	10.15
AS330M-60	330	60 (6*10)	1665*1002*35	18.5	32.8	10.07	40.3	10.37
AS340M-60	340	60 (6*10)	1665*1002*35	18.5	33.2	10.25	40.7	10.57
AS350M-60	350	60 (6*10)	1665*1002*35	18.5	33.5	10.42	41.1	10.78



POLY 60CELLS

260-290W




P8

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS260P-60	260	60(6*10)	1640*992*35	18	30.3	8.59	37.4	9.15
AS270P-60	270	60(6*10)	1640*992*35	18	30.9	8.74	38.0	9.29
AS275P-60	275	60(6*10)	1640*992*35	18	31.2	8.82	38.3	9.32
AS280P-60	280	60(6*10)	1640*992*35	18	31.5	8.89	38.6	9.42
AS285P-60	285	60(6*10)	1640*992*35	18	31.6	9.02	38.7	9.55
AS290P-60	290	60(6*10)	1640*992*35	18	31.8	9.12	38.9	9.62



POLY 60CELLS (G1)

275-290W




P8-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS275P-60	275	60(6*10)	1665*1002*35	18.5	29.9	9.20	37.6	9.75
AS280P-60	280	60(6*10)	1665*1002*35	18.5	31.2	8.97	27.8	9.75
AS285P-60	285	60(6*10)	1665*1002*35	18.5	31.3	9.11	38.1	9.71
AS290P-60	290	60(6*10)	1665*1002*35	18.5	31.5	9.21	38.3	9.73



MONO 72CELLS

350-390W




P9

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS350M-72	350	72(6*12)	1956*992*40	20.5	37.3	9.39	46.2	9.78
AS360M-72	360	72(6*12)	1956*992*40	20.5	37.8	9.53	46.7	9.88
AS370M-72	370	72(6*12)	1956*992*40	20.5	38.3	9.67	47.3	10.02
AS380M-72	380	72(6*12)	1956*992*40	20.5	38.9	9.77	47.9	10.04
AS390M-72	390	72(6*12)	1956*992*40	20.5	39.5	9.88	48.5	10.11



MONO 72CELLS (G1)

390-410W



P9-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS390M-72	390	72(6*12)	1980*1002*40	21	39.2	9.95	48.2	10.37
AS400M-72	400	72(6*12)	1980*1002*40	21	39.5	10.13	48.5	10.51
AS410M-72	410	72(6*12)	1980*1002*40	21	39.8	10.31	48.8	10.63



POLY 72CELLS

310-350W



P10

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS310P-72	310	72(6*12)	1956*992*40	20.5	36.4	8.52	45.2	9.08
AS320P-72	320	72(6*12)	1956*992*40	20.5	36.8	8.70	45.8	9.19
AS330P-72	330	72(6*12)	1956*992*40	20.5	37.4	8.83	46.2	9.34
AS340P-72	340	72(6*12)	1956*992*40	20.5	37.7	9.02	46.5	9.50
AS345P-72	345	72(6*12)	1956*992*40	20.5	37.9	9.11	46.6	9.61
AS350P-72	350	72(6*12)	1956*992*40	20.5	38.3	9.14	46.8	9.97



POLY 72CELLS (G1)

335-350W




P10-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS335P-72	335	72(6*12)	1980*1002*40	21	37.3	8.99	45.9	9.73
AS340P-72	340	72(6*12)	1980*1002*40	21	37.5	9.07	46.1	9.70
AS350P-72	350	72(6*12)	1980*1002*40	21	37.9	9.24	46.3	9.82



MONO 96CELLS

460-500W




P11

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS460M-96	460	96(8*12)	1956*1310*40	26	48.9	9.41	61.6	9.70
AS470M-96	470	96(8*12)	1956*1310*40	26	49.3	9.54	61.9	9.80
AS480M-96	480	96(8*12)	1956*1310*40	26	49.6	9.68	62.2	9.89
AS490M-96	490	96(8*12)	1956*1310*40	26	49.9	9.82	62.5	9.99
AS500M-96	500	96(8*12)	1956*1310*40	26	51.2	9.77	62.8	10.08



MONO 96CELLS (G1)

510-540W




P11-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS510M-96	510	96(8*12)	1980*1320*40	26.5	51.3	9.95	62.9	10.26
AS520M-96	520	96(8*12)	1980*1320*40	26.5	51.6	10.18	63.2	10.41
AS530M-96	530	96(8*12)	1980*1320*40	26.5	51.9	10.22	63.5	10.57
AS540M-96	540	96(8*12)	1980*1320*40	26.5	52.2	10.35	63.8	10.71



POLY 96CELLS

420-460W




P12

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS420P-96	420	96(8*12)	1956*1310*40	26	48.5	8.66	60.1	9.08
AS430P-96	430	96(8*12)	1956*1310*40	26	48.8	8.82	60.4	9.22
AS440P-96	440	96(8*12)	1956*1310*40	26	49.1	8.97	60.7	9.35
AS450P-96	450	96(8*12)	1956*1310*40	26	49.4	9.11	60.9	9.50
AS460P-96	460	96(8*12)	1956*1310*40	26	49.7	9.26	61.2	9.64

POLY 96CELLS (G1)

450-470W




P12

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS450P-96	450	96(8*12)	1980*1320*40	26.5	49.4	9.11	60.9	9.50
AS460P-96	460	96(8*12)	1980*1320*40	26.5	49.7	9.26	61.2	9.64
AS465P-96	465	96(8*12)	1980*1320*40	26.5	50.0	9.30	61.4	9.71
AS470P-96	470	96(8*12)	1980*1320*40	26.5	50.3	9.35	61.6	9.78



5BB MONO HALF-CUT 120 CELLS

310-335W




P13

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS310M-120	310	120 (6*20)	1690*996*35	18.4	32.9	9.43	39.4	9.85
AS320M-120	320	120 (6*20)	1690*996*35	18.4	33.1	9.67	39.5	10.14
AS325M-120	325	120 (6*20)	1690*996*35	18.4	33.4	9.74	39.7	10.25
AS330M-120	330	120 (6*20)	1690*996*35	18.4	33.6	9.83	39.9	10.34
AS335M-120	335	120 (6*20)	1690*996*35	18.4	33.9	9.89	40.1	10.38



5BB POLY HALF-CUT 120 CELLS

270-290W




P14

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS270P-120	270	120 (6*20)	1690*996*35	18.4	30.9	8.74	37.6	9.33
AS275P-120	275	120 (6*20)	1690*996*35	18.4	31.2	8.82	37.8	9.42
AS280P-120	280	120 (6*20)	1690*996*35	18.4	31.5	8.89	38.0	9.51
AS285P-120	285	120 (6*20)	1690*996*35	18.4	31.6	9.02	38.3	9.54
AS290P-120	290	120 (6*20)	1690*996*35	18.4	31.8	9.12	38.6	9.57



5BB MONO HALF-CUT 144 CELLS

380-400W




P15

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS380M-144	380	144 (6*24)	2015*996*40	20.5	39.5	9.63	47.5	10.06
AS385M-144	385	144 (6*24)	2015*996*40	20.5	39.8	9.68	47.7	10.10
AS390M-144	390	144 (6*24)	2015*996*40	20.5	40.1	9.73	47.9	10.19
AS395M-144	395	144 (6*24)	2015*996*40	20.5	40.4	9.78	48.1	10.27
AS400M-144	400	144 (6*24)	2015*996*40	20.5	40.7	9.83	48.3	10.29



5BB POLY HALF-CUT 144 CELLS

320-350W




P16

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS320P-144	320	144(6*24)	2015*996*40	20.5	37.5	8.54	45.2	9.19
AS330P-144	330	144(6*24)	2015*996*40	20.5	37.7	8.76	45.5	9.36
AS340P-144	340	144(6*24)	2015*996*40	20.5	37.9	8.98	45.8	9.52
AS345P-144	345	144(6*24)	2015*996*40	20.5	38.1	9.06	46.2	9.51
AS350P-144	350	144(6*24)	2015*996*40	20.5	38.3	9.14	46.5	9.53



9BB MONO HALF-CUT 120 CELLS

350-375W




P17

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS350M-120	350	120 (6*20)	1776*1052*35	20.5	33.3	10.52	40.5	11.02
AS355M-120	355	120 (6*20)	1776*1052*35	20.5	33.5	10.60	40.7	11.10
AS360M-120	360	120 (6*20)	1776*1052*35	20.5	33.7	10.69	40.9	11.20
AS365M-120	365	120 (6*20)	1776*1052*35	20.5	33.9	10.77	41.1	11.28
AS370M-120	370	120 (6*20)	1776*1052*35	20.5	34.1	10.86	41.3	11.37
AS375M-120	375	120 (6*20)	1776*1052*35	20.5	34.3	10.94	41.5	11.47



9BB MONO HALF-CUT 120 CELLS (G1)

310-350W




P17-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
ASSE-310M	310	120 (6*20)	1690*996*35	18.4	32.9	9.43	41.08	9.43
ASSE-320M	320	120 (6*20)	1690*996*35	18.4	33.2	9.63	41.47	9.63
ASSE-330M	330	120 (6*20)	1690*996*35	18.4	33.7	9.80	41.94	9.80
ASSE-340M	340	120 (6*20)	1690*996*35	18.4	34.2	9.95	42.41	9.95
ASSE-350M	350	120 (6*20)	1690*996*35	18.4	34.4	10.18	42.60	9.98



9BB MONO HALF-CUT 144 CELLS

425-450W




P18

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
AS425M-144	425	144 (6*24)	2094*1038*35	23.5	37.70	8.42	45.30	9.08
AS430M-144	430	144 (6*24)	2094*1038*35	23.5	37.12	8.90	44.92	9.15
AS435M-144	435	144 (6*24)	2094*1038*35	23.5	37.27	8.97	45.09	9.21
AS440M-144	440	144 (6*24)	2094*1038*35	23.5	37.45	9.03	45.29	9.27
AS445M-144	445	144 (6*24)	2094*1038*35	23.5	37.63	9.09	45.50	9.33
AS450M-144	450	144 (6*24)	2094*1038*35	23.5	37.80	9.14	45.71	9.38



9BB MONO HALF-CUT 144 CELLS (G1)

380-410W



P18-1

MODEL TYPE	Power(w)	Number of cells	Dimensions(mm)	Weight(kg)	Vmp	Imp	Voc	Isc
ASSF-380M	380	144 (6*24)	2015*996*35	20.5	39.9	9.52	48.7	9.99
ASSF-390M	390	144 (6*24)	2015*996*35	20.5	40.3	9.67	49.2	10.19
ASSF-400M	400	144 (6*24)	2015*996*35	20.5	40.9	9.79	49.7	10.33
ASSF-405M	405	144 (6*24)	2015*996*35	20.5	41.1	9.86	49.8	10.41
ASSF-410M	410	144 (6*24)	2015*996*35	20.5	41.2	9.96	50.0	10.49